Qualitative Comparative Analysis

Claude Rubinson
University of Houston—Downtown
Houston, TX

rubinsonc@uhd.edu http://gator.uhd.edu/~rubinsonc/ http://grundrisse.org/qca/

University of Arizona Arizona Methods Workshops January 8–10, 2015

Overview

- Day 1: Introductions and overview
 - Review of QCA resources, publications, and software
 - QCA as an investigation of invariance
 - Three analytic components of QCA: dataset calibration, necessity analysis, and sufficiency analysis
 - Three types of QCA projects: identifying causal recipes, uncovering taxonomies, understanding context
 - Discussion of research projects
- Day 2: Nuts and bolts—QCA in depth
 - Dataset calibration
 - Necessity analysis
 - Consistency and coverage measures for necessity
 - Testing for necessary conditions
 - Sufficiency analysis
 - Consistency and coverage measures for sufficiency
 - Constructing and reducing truth tables
 - Interrogating the analysis and deriving solutions
- Day 3: Putting it all together
 - Conducting a step-wise QCA analysis
 - Writing up and presenting QCA research
 - Discussion of research projects

Boolean Algebra


- UPPERCASE for the presence of a condition
- lowercase or ~ for the absence of a condition
- Negation

$$\sim A = 1 - A$$

a = 1 - A

- Logical and (Boolean multiplication/Set intersection)
 A•b = Ab = min(A,b)
- Logical or (Boolean addition/Set union)
 A+b = max(A,b)

Three Analytic Components of QCA



Calibrating Datasets

Dataset Calibration

- Instrument calibration is routine in the natural sciences; largely absent in the social sciences.
- Social sciences emphasize relative effects: Paul is poorer than Peter; the United States is more democratic than North Korea.
- Calibration allows us to state that an individual is poor or that a country is democratic.
- Calibration requires application of theoretical and substantive knowledge.

Calibrating Fuzzy Sets

	Three-value	Four-value	Six-value	Continuous
Crisp set	fuzzy set	fuzzy set	fuzzy set	fuzzy set
1 = fully in	1 = fully in	1 = fully in	1 = fully in	1 = fully in
	0.67 = more in than out	0.67 = more in than out	0.8 = mostly but not fully in 0.6 = more or less in	Degree of membership is more "in" than "out" 0.5 < X < 1
	0.!	5 = Crossover F	oint	
		0.33 = more out than in	0.4 = more or less out 0.2 = mostly but not fully out	Degree of membership is more "out" than "in" 0.0 < X < 0.5
0 = fully out	0 = fully out	0 = fully out	0 = fully out	0 = fully out

Calibrating Fuzzy Sets

- Manual calibration vs "direct" and "indirect" methods
- Fuzzy sets are asymmetrical
- Fuzzy sets vs crisp-sets vs dummy variables
- Fuzzy sets vs multi-valued sets

Analyzing Necessary Conditions


Necessity Analysis

- Underdeveloped in the literature; QCA development has focused on sufficiency analysis
- *Kirq* and *acq* have sophisticated necessity testing

Necessary Conditions


Causal condition must (almost always) be present for outcome to occur.

Outcome is a subset of Cause




Fuzzy Subset Relationship Consistent with Necessity

Outcome is a subset of Cause $(X \ge Y)$




Assessing Necessary Conditions

• *Consistency* measures degree to which subset relationship is "consistent" with necessity




Subset relationship consistent with necessity



Subset relationship with substantial inconsistency

Assessing Necessary Conditions

• Coverage measures how "relevant" a necessary condition is




Empirically relevant necessary condition (high consistency)

Empirically irrelevant necessary condition (perfect consistency)

Testing for Necessary Conditions

Obs	Dev	Urb	Lit	Sur
AT	.81	.12	.99	.05
BE	.99	.89	.98	.95
CZ	.58	.98	.98	.89
EE	.16	.07	.98	.12
FI	.58	.03	.99	.77
FR	.98	.03	.99	.95
DE	.89	.79	.99	.05
GR	.04	.09	.13	.06
HU	.07	.16	.88	.42
ΙE	.72	.05	.98	.92
IT	.34	.10	.41	.05
NL	.98	1.00	.99	.95
PL	.02	.17	.59	.12
PT	.01	.02	.01	.05



Term	Consis	Cov
LIT	0.99	0.58
Solution	0.99	0.58

Testing for Necessary Conditions

- Assess consistency before coverage
- Join terms with logical or (e.g., A+B+C)
- Many solutions are possible
- Use of theory is crucial

Analyzing Sufficient Conditions

Sufficiency Analysis


- More mature than necessity analysis; QCA development—and applications—have focused on sufficiency analysis
- Emphasis on causal complexity (a.k.a., multiple conjunctural causation, "recipes," equifinality, or INUS conditions)

Feature	fs/QCA	Kirq & acq
Based on RSI Algorithms	$\sqrt{}$	$\sqrt{}$
Complex Solutions	$\sqrt{}$	$\sqrt{}$
Intermediate Solutions	\checkmark	
Parsimonious Solutions	$\sqrt{}$	$\sqrt{}$
Impossible Conditions		$\sqrt{}$
Contradictions		$\sqrt{}$

Sufficient Conditions


Outcome (almost) always occurs when causal condition is present.

Cause is a subset of Outcome




Fuzzy Subset Relationship Consistent with Sufficiency

Cause is a subset of Outcome $(Y \ge X)$




Assessing Sufficient Conditions

• *Consistency* measures degree to which subset relationship is "consistent" with sufficiency




Subset relationship consistent with sufficiency



Subset relationship with substantial inconsistency

Assessing Sufficient Conditions


 Coverage measures the relative "importance" of each solution



High SES women who haven't lived in the U.S., have only attempted cross a few times and felt that their last crossing experience was very dangerous (X_2)

Assessing Sufficient Conditions

 Coverage measures the relative "importance" of each solution



High SES women who haven't lived in the U.S., have only attempted cross a few times and felt that their last crossing experience was very dangerous (X_2)

Testing for Sufficient Conditions

Term	Consis	Raw Cov	Uniq Cov
HISES*liveus*travfam +	0.90	0.32	0.13
HISES*liveus*numcross*DANGER	0.82	0.46	0.26
Solution	0.86	0.58	

Truth Table Construction Truth table algorithm sorts observations into types

Obs	Dev	Urb	Lit	Brk
AT	.81	.12	.99	.95
BE	.99	.89	.98	.05
CZ	.58	.98	.98	.11
EE	.16	.07	.98	.88
FI	.58	.03	.99	.23
FR	.98	.03	.99	.05
DE	.89	.79	.99	.95
GR	.04	.09	.13	.94
HU	.07	.16	.88	.58
IE	.72	.05	.98	.08
IT	.34	.10	.41	.95
NL	.98	1.00	.99	.05
PL	.02	.17	.59	.88
PT	.01	.02	.01	.95



	Dev	Urb	Lit	Consis	Υ	Consis Obs	Inconsis Obs
1	Т	Т	Т	0.41	F	DE	BE, CZ, NL
2	Т	Т	F	_			
3	Т	F	Т	0.51	F	AT	FI, FR, IE
4	Т	F	F	_			
5	F	Т	Т	_	_		
6	F	Т	F	_			
7	F	F	Т	0.83	Т	EE, PL	HU
8	F	F	F	0.99	Т	GR, IT, PT	


Reading Truth Tables Truth table assesses consistency between types and outcome

Democracy usually did not break down in countries that were (a) developed, urbanized, and literate (row 1) or (b) developed, not urbanized, and literate (row 3).

Democracy usually did break down in countries that were (c) not developed, not urbanized, and literate (row 7) or (d) not developed, not urbanized, and not literate (row 8)

	Dev	Urb	Lit	Consis	Y	Consis Obs	Inconsis Obs
1	Т	Т	Т	0.41	F	DE	BE, CZ, NL
2	Т	Т	F	<u>—</u>			
3	Т	F	Т	0.51	F	AT	FI, FR, IE
4	Т	F	F	<u>—</u>			
5	F	Т	Т	<u>—</u>	_		
6	F	Т	F	<u>—</u>			
7	F	F	Т	0.83	Т	EE, PL	HU
8	F	F	F	0.99	Т	GR, IT, PT	

Reading Truth Tables Remainders are logically possible conditions lacking empirical instances



Invariance in Truth Tables

	Dev	Urb	Consis	Υ	Consis Obs	Inconsis Obs
1	Т	Т	0.41	F	DE	BE, CZ, NL
2	Т	F	0.51	F	AT	FI, FR, IE
3	F	Т	_	_		
4	F	F	0.89	Т	EE, GR, IT, PL, PT	HU

	Dev	Urb	Lit	Consis	Υ	Consis Obs	Inconsis Obs
1	Т	Т	Т	0.41	F	DE	BE, CZ, NL
2	Т	Т	F	_	—		
3	Т	F	Т	0.51	F	AT	FI, FR, IE
4	Т	F	F	_	—		
5	F	Т	Т	_	—		
6	F	Т	F	_	—		
7	F	F	Т	0.83	Т	EE, PL	HU
8	F	F	F	0.99	Т	GR, IT, PT	

To Primitive Expressions:

Term	Consis	Raw Cov	Uniq Cov	Observations
dev*urb*LIT +	0.83	0.42	0.27	EE, PL, [HU]
dev*urb*lit	0.99	0.40	0.24	GR, IT, PT
Solution	0.88	0.66		

To Primitive Expressions:

Term	Consis	Raw Cov	Uniq Cov	Observations
dev*urb*LIT +	0.83	0.42	0.27	EE, PL, [HU]
dev*urb*lit	0.99	0.40	0.24	GR, IT, PT
Solution	0.88	0.66		

To Prime Implicants:

Term	Consis	Raw Cov	Uniq Cov	Observations
dev*urb	0.89	0.71	0.71	EE, PL, GR, IT, PT, [HU]
Solution	0.89	0.71		

Reduce Prime Implicants (Complex Solution):

Term	Consis	Raw Cov	Uniq Cov	Observations
dev*urb	0.89	0.71	0.71	EE, PL, GR, IT, PT, [HU]
Solution	0.89	0.71		

Reduce Prime Implicants (Complex Solution):

Term	Consis	Raw Cov	Uniq Cov	Observations
dev*urb	0.89	0.71	0.71	EE, PL, GR, IT, PT, [HU]
Solution	0.89	0.71		

Reduce Prime Implicants Using Remainders (Parsimonious Solution):

Term	Consis	Raw Cov	Uniq Cov	Observations
dev	0.82	0.73	0.73	EE, PL, GR, IT, PT, [HU]
Solution	0.82	0.73		

Constructing Intermediate Solutions

Complex Solution

Acsir + ACSir + ASIR Parsimonious Solution

i + SR

Intermediate Solution #1

Intermediate Solution #2

Air + ASIR

Factoring Results

Initial Solution:

```
ELECTIONS * POLICE +
urban * POLICE +
CONFLICT * ELECTIONS * URBAN +
CONFLICT * elections * urban +
conflict * ELECTIONS * urban
```

Factored Solution:

```
POLICE (ELECTIONS + urban) + URBAN (CONFLICT * ELECTIONS) + urban ((CONFLICT * elections) + (conflict * ELECTIONS)
```